



# SUBSTANCE ABUSE PREVENTION AND CONTROL SERVICE AUTHORIZATION REQUEST FORM

# SUBMIT SERVICE AUTHORIZATION REQUEST FORM TO:

Website: <a href="http://publichealth.lacounty.gov/sapc/">http://publichealth.lacounty.gov/sapc/</a>
Fax: (xxx) xxx-xxxx

1.(Check One):	rization	ited Author	ization   Reauthoriza	tion (Provid	de Current Authorization #:	
2. Admission Date (if different from submission date): 3. Submis				5. Dates From:	es Service Requested: n: To:	
	DATIE	NIT INE	ORMATION	Tioni.	10	
6 Name (Leat First and Middle)					9 Madi Cal on My Haalth I A Nymhan	
6. Name (Last, First, and Middle): 7. Date o		. Date of I	Birth (MM/DD/YY):		8. Medi-Cal or My Health LA Number:	
9. Address:					Verified Eligibility:	
					□Yes □ No	
10. Phone Number: Okay to Leave a			Iessage? Yes 1	No	11. Gender:	
,			C			
12. Perinatal Patient:  Yes No	13. Criminal Justice	Involved F	Patient: Yes N	No	14. Race/Ethnicity (Optional):	
			on with Criminal Justice Identification			
	Number:					
PROVIDER AGENCY INFORMATION						
15. Provider Agency Name:			16. Phone Number:		17. Fax Number:	
18. Address:					19. Email Address:	
20. Name and Work Title of the Contact Person:					21. Phone Number of the Contact Person:	
20. Name and Work Title of the Contact Person.					21. I hole Number of the Contact I cison.	
☐ ORDERING PRESCRIBER (FOR MEDICATION-ASSISTED TREATMENT)						
22. Name and Credential of Prescriber:		(			23. Phone Number:	
24. Address:					25. Email Address	
26. REQUIRED CLINICAL INFORM	MATION DIA	TNOSTI	IC AND STATISTI	CALM	ANUAL (DCM) 5 DIACNOSES	
20. REQUIRED CLINICAL INFORM	VIATION - DIA	3110311	IC AND STATISTI	CAL WIF	ANUAL (DSM)- 5 DIAGNOSES	
	27. CARE RI	COLIEST	TED (CHECK ONE	(3		
Preauthorized Service						
Preauthorized Serv		QUESI	ED (CHECK ON		rized Service	
	vice		_	Autho	rized Service	
3.1 Clinically Managed Low-Intensity Residen	vice ntial Services: 24-hour		Recovery Bridge Ho	Autho	rized Service	
3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5	vice ntial Services: 24-hour		Recovery Bridge Ho	Autho ousing		
3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment.	vice htial Services: 24-hour hours of clinical		Recovery Bridge Ho	Autho ousing	rized Service t for Youth Under Age 18	
3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment.  3.3 Clinically Managed Population-Specific High Specific Hi	vice  tial Services: 24-hour hours of clinical igh-Intensity Resident	ial	Recovery Bridge Ho	Autho	t for Youth Under Age 18	
3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment.  3.3 Clinically Managed Population-Specific Historical (this level of care is not designated for adolhour care with trained counselors to stabilize multidistance).	tial Services: 24-hour hours of clinical igh-Intensity Resident escent populations): 2- imensional imminent	ial_ 4-	☐ Recovery Bridge Ho ☐ Medication-Assisted Withdrawal Manageme	Autho ousing d Treatmen nt for You	t for Youth Under Age 18 th Under Age 18:	
3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment.  3.3 Clinically Managed Population-Specific Historical (this level of care is not designated for adolhour care with trained counselors to stabilize multididanger. Less intense milieu and group treatment for	tial Services: 24-hour hours of clinical igh-Intensity Resident: escent populations): 2-imensional imminent those with cognitive o	i <u>al</u> 4-	□ Recovery Bridge Ho □ Medication-Assiste  Withdrawal Manageme □ 1-WM Withdrawal	Autho Dusing  d Treatmen  nt for You Manageme	t for Youth Under Age 18 th Under Age 18: nt, Ambulatory – Mild: Ambulatory	
□ 3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment. □ 3.3 Clinically Managed Population-Specific Historical (this level of care is not designated for adol hour care with trained counselors to stabilize multididanger. Less intense milieu and group treatment for other impairments unable to use full active milieu or	tial Services: 24-hour hours of clinical igh-Intensity Resident: escent populations): 2-imensional imminent those with cognitive o	i <u>al</u> 4-	☐ Recovery Bridge Ho ☐ Medication-Assisted Withdrawal Manageme ☐ 1-WM Withdrawal withdrawal management	Autho  Dusing  d Treatmen  Int for You  Management without ext	t for Youth Under Age 18 th Under Age 18:	
3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment.  3.3 Clinically Managed Population-Specific Historical (this level of care is not designated for adolhour care with trained counselors to stabilize multididanger. Less intense milieu and group treatment for other impairments unable to use full active milieu or and prepare for outpatient treatment.	tial Services: 24-hour hours of clinical hours of clinical igh-Intensity Resident: escent populations): 2-imensional imminent those with cognitive or therapeutic communi	ial 4- r ty	☐ Recovery Bridge Ho ☐ Medication-Assiste  Withdrawal Manageme ☐ 1-WM Withdrawal withdrawal management withdrawal with daily or	Autho  ousing  d Treatmen  nt for You  Manageme  without ext less than da	t for Youth Under Age 18  th Under Age 18: nt, Ambulatory — Mild: Ambulatory ended onsite monitoring for mild	
□ 3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment. □ 3.3 Clinically Managed Population-Specific Historical (this level of care is not designated for adolhour care with trained counselors to stabilize multididanger. Less intense milieu and group treatment for other impairments unable to use full active milieu or and prepare for outpatient treatment. □ 3.5 Clinically Managed High-Intensity Resident	tial Services: 24-hour hours of clinical igh-Intensity Resident: escent populations): 2-imensional imminent those with cognitive or therapeutic communintial Services: 24-hou	ial 4-	☐ Recovery Bridge Ho ☐ Medication-Assisted Withdrawal Manageme ☐ 1-WM Withdrawal withdrawal management withdrawal with daily or ☐ 2-WM Withdrawal	Autho ousing d Treatmen nt for You Manageme without ext less than da Manageme	t for Youth Under Age 18 th Under Age 18: nt, Ambulatory – Mild: Ambulatory ended onsite monitoring for mild tily outpatient supervision.	
□ 3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment. □ 3.3 Clinically Managed Population-Specific Historical (this level of care is not designated for adolhour care with trained counselors to stabilize multididanger. Less intense milieu and group treatment for other impairments unable to use full active milieu or and prepare for outpatient treatment. □ 3.5 Clinically Managed High-Intensity Reside care with trained counselors to stabilize multidiment	tial Services: 24-hour hours of clinical igh-Intensity Resident: escent populations): 2-imensional imminent those with cognitive or therapeutic communintial Services: 24-hoursional imminent dang	ial 4- r ty	Recovery Bridge Ho  Medication-Assisted  Withdrawal Manageme  1-WM Withdrawal withdrawal management withdrawal with daily or 2-WM Withdrawal withdrawal management withdrawal management withdrawal with all-day withdrawal withdrawal with all-day withdrawal	Autho  ousing  d Treatmen  nt for You  Manageme  without ext less than da  Manageme  with extend  vithdrawal	t for Youth Under Age 18  th Under Age 18: nt, Ambulatory – Mild: Ambulatory ended onsite monitoring for mild tily outpatient supervision. nt, Ambulatory – Moderate: Ambulatory led onsite monitoring for moderate management, support, and supervision; at	
□ 3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment. □ 3.3 Clinically Managed Population-Specific Historical (this level of care is not designated for adolhour care with trained counselors to stabilize multididanger. Less intense milieu and group treatment for other impairments unable to use full active milieu or and prepare for outpatient treatment. □ 3.5 Clinically Managed High-Intensity Resident care with trained counselors to stabilize multidiment and prepare for outpatient treatment. Able to tolerate	tial Services: 24-hour hours of clinical igh-Intensity Resident: escent populations): 2-imensional imminent those with cognitive or therapeutic communintial Services: 24-hoursional imminent dang	ial 4- r ty	Recovery Bridge Ho Medication-Assisted Withdrawal Manageme 1-WM Withdrawal withdrawal management withdrawal with daily or 2-WM Withdrawal withdrawal management withdrawal with all-day withdrawal with all-day wight has supportive familiary.	Autho Dusing  d Treatmen  nt for You Management without ext less than da Management with extendivithdrawal ally or living	t for Youth Under Age 18  th Under Age 18:  nt, Ambulatory – Mild: Ambulatory ended onsite monitoring for mild tily outpatient supervision.  nt, Ambulatory – Moderate: Ambulatory led onsite monitoring for moderate management, support, and supervision; at situation.	
□ 3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment. □ 3.3 Clinically Managed Population-Specific Historical (this level of care is not designated for adolhour care with trained counselors to stabilize multididanger. Less intense milieu and group treatment for other impairments unable to use full active milieu or and prepare for outpatient treatment. □ 3.5 Clinically Managed High-Intensity Reside care with trained counselors to stabilize multidiment	tial Services: 24-hour hours of clinical igh-Intensity Resident: escent populations): 2-imensional imminent those with cognitive or therapeutic communintial Services: 24-hoursional imminent dang	r ty r	Recovery Bridge Ho  Medication-Assisted  Withdrawal Manageme  1-WM Withdrawal withdrawal management withdrawal with daily or 2-WM Withdrawal withdrawal management withdrawal with all-day winight has supportive fami  3.2-WM Withdrawa	Autho Dusing  d Treatmen  nt for You Managemer without ext less than da Managemer with extendivithdrawal is ly or living al Managemer	t for Youth Under Age 18  th Under Age 18:  nt, Ambulatory – Mild: Ambulatory ended onsite monitoring for mild tily outpatient supervision.  nt, Ambulatory – Moderate: Ambulatory ded onsite monitoring for moderate management, support, and supervision; at situation.  nent, Clinically Managed - Moderate:	
□ 3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment. □ 3.3 Clinically Managed Population-Specific Historical (this level of care is not designated for adolhour care with trained counselors to stabilize multididanger. Less intense milieu and group treatment for other impairments unable to use full active milieu or and prepare for outpatient treatment. □ 3.5 Clinically Managed High-Intensity Resident care with trained counselors to stabilize multidiment and prepare for outpatient treatment. Able to tolerate	tial Services: 24-hour hours of clinical igh-Intensity Resident: escent populations): 2-imensional imminent those with cognitive or therapeutic communintial Services: 24-hoursional imminent dang	r ty	Recovery Bridge Ho  Medication-Assisted  Withdrawal Manageme  1-WM Withdrawal withdrawal management withdrawal with daily or 2-WM Withdrawal withdrawal withdrawal withdrawal withdrawal withdrawal with all-day winight has supportive fami  3.2-WM Withdrawa Clinically managed reside	Autho  Dusing  d Treatmen  Int for You  Managemei  without ext  less than da  Managemei  with extend  with drawal  ly or living  d Managemential withd	th Under Age 18:  nt, Ambulatory – Mild: Ambulatory ended onsite monitoring for mild tily outpatient supervision.  nt, Ambulatory – Moderate: Ambulatory led onsite monitoring for moderate management, support, and supervision; at situation.  nent, Clinically Managed - Moderate: larawal management for moderate	
□ 3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment. □ 3.3 Clinically Managed Population-Specific Historical (this level of care is not designated for adolhour care with trained counselors to stabilize multididanger. Less intense milieu and group treatment for other impairments unable to use full active milieu or and prepare for outpatient treatment. □ 3.5 Clinically Managed High-Intensity Resident care with trained counselors to stabilize multidiment and prepare for outpatient treatment. Able to tolerate	tial Services: 24-hour hours of clinical igh-Intensity Resident: escent populations): 2-imensional imminent those with cognitive or therapeutic communintial Services: 24-hoursional imminent dang	r tty	Recovery Bridge Ho  Medication-Assisted  Withdrawal Manageme  1-WM Withdrawal  withdrawal management withdrawal with daily or  2-WM Withdrawal withdrawal management withdrawal with all-day v night has supportive fami  3.2-WM Withdrawal Clinically managed reside withdrawal that needs 24-	Autho  Dusing  d Treatmen  Int for You  Managemei  without ext less than da  Managemei  with extend  with drawal  ly or living  d Managemential withd  chour suppo	t for Youth Under Age 18  th Under Age 18:  nt, Ambulatory – Mild: Ambulatory ended onsite monitoring for mild tily outpatient supervision.  nt, Ambulatory – Moderate: Ambulatory ded onsite monitoring for moderate management, support, and supervision; at situation.  nent, Clinically Managed - Moderate: drawal management for moderate ort to complete withdrawal management	
□ 3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment. □ 3.3 Clinically Managed Population-Specific Historical (this level of care is not designated for adolhour care with trained counselors to stabilize multididanger. Less intense milieu and group treatment for other impairments unable to use full active milieu or and prepare for outpatient treatment. □ 3.5 Clinically Managed High-Intensity Resident care with trained counselors to stabilize multidiment and prepare for outpatient treatment. Able to tolerate	tial Services: 24-hour hours of clinical igh-Intensity Resident escent populations): 2-imensional imminent those with cognitive or therapeutic communitatial Services: 24-hours and use full active	r ty r er	Recovery Bridge Ho  Medication-Assisted  Withdrawal Manageme  1-WM Withdrawal  withdrawal management withdrawal with daily or  2-WM Withdrawal withdrawal management withdrawal with all-day v night has supportive fami  3.2-WM Withdrawa  Clinically managed reside withdrawal that needs 24- and increase likelihood of	Autho  Dusing  d Treatmen  Int for You  Managemei  without ext less than da  Managemei  with extend  with drawal  ly or living  d Managemential withd  chour suppo	t for Youth Under Age 18  th Under Age 18:  nt, Ambulatory – Mild: Ambulatory ended onsite monitoring for mild tily outpatient supervision.  nt, Ambulatory – Moderate: Ambulatory ded onsite monitoring for moderate management, support, and supervision; at situation.  nent, Clinically Managed - Moderate: drawal management for moderate ort to complete withdrawal management	
3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment.  3.3 Clinically Managed Population-Specific Historical (this level of care is not designated for adol hour care with trained counselors to stabilize multididanger. Less intense milieu and group treatment for other impairments unable to use full active milieu or and prepare for outpatient treatment.  3.5 Clinically Managed High-Intensity Reside care with trained counselors to stabilize multidimentand prepare for outpatient treatment. Able to tolerate milieu or therapeutic community.	tial Services: 24-hour hours of clinical igh-Intensity Resident: escent populations): 2-timensional imminent those with cognitive or therapeutic communital Services: 24-hours is and use full active 28. REQUII	r ty r er	Recovery Bridge Ho  Medication-Assister  Withdrawal Manageme  1-WM Withdrawal  withdrawal management  withdrawal with daily or  2-WM Withdrawal  withdrawal management  withdrawal management  indicate a supportive family  3.2-WM Withdrawal  Clinically managed resident  Clinically managed resident  indicate a supportive family  3.2-WM Withdrawal  Clinically managed resident  Clinically managed resident  and increase likelihood of  CUMENTATION	Autho  Dusing  d Treatmen  Int for You  Managemer  without ext less than da  Managemer  with extend  ly or living  al Managem  ential withde  chour support  f continuing	t for Youth Under Age 18  th Under Age 18:  nt, Ambulatory – Mild: Ambulatory ended onsite monitoring for mild tily outpatient supervision.  nt, Ambulatory – Moderate: Ambulatory ded onsite monitoring for moderate management, support, and supervision; at situation.  nent, Clinically Managed - Moderate: drawal management for moderate ort to complete withdrawal management	
□ 3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment. □ 3.3 Clinically Managed Population-Specific Historical (this level of care is not designated for adolhour care with trained counselors to stabilize multididanger. Less intense milieu and group treatment for other impairments unable to use full active milieu or and prepare for outpatient treatment. □ 3.5 Clinically Managed High-Intensity Resident care with trained counselors to stabilize multidiment and prepare for outpatient treatment. Able to tolerate	tial Services: 24-hour hours of clinical igh-Intensity Resident: escent populations): 2-timensional imminent those with cognitive or therapeutic communital Services: 24-hours is and use full active 28. REQUII	r ty r er	Recovery Bridge Ho  Medication-Assister  Withdrawal Manageme  1-WM Withdrawal  withdrawal management  withdrawal with daily or  2-WM Withdrawal  withdrawal management  withdrawal management  indicate a supportive family  3.2-WM Withdrawal  Clinically managed resident  Clinically managed resident  indicate a supportive family  3.2-WM Withdrawal  Clinically managed resident  Clinically managed resident  and increase likelihood of  CUMENTATION	Autho  Dusing  d Treatmen  Int for You  Managemer  without ext less than da  Managemer  with extend  ly or living  al Managem  ential withde  chour support  f continuing	t for Youth Under Age 18  th Under Age 18:  nt, Ambulatory – Mild: Ambulatory ended onsite monitoring for mild tily outpatient supervision.  nt, Ambulatory – Moderate: Ambulatory ded onsite monitoring for moderate management, support, and supervision; at situation.  nent, Clinically Managed - Moderate: drawal management for moderate ort to complete withdrawal management	
3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment.  3.3 Clinically Managed Population-Specific Historical (this level of care is not designated for adol hour care with trained counselors to stabilize multididanger. Less intense milieu and group treatment for other impairments unable to use full active milieu or and prepare for outpatient treatment.  3.5 Clinically Managed High-Intensity Reside care with trained counselors to stabilize multidiment and prepare for outpatient treatment. Able to tolerat milieu or therapeutic community.	tial Services: 24-hour hours of clinical igh-Intensity Resident escent populations): 24-imensional imminent those with cognitive of therapeutic communital Services: 24-hours ional imminent dangue and use full active 28. REQUII respective preauthoriz	r ty r er RED DO vations, aut	Recovery Bridge Ho  Medication-Assister  Withdrawal Manageme  1-WM Withdrawal  withdrawal management  withdrawal with daily or  2-WM Withdrawal  withdrawal management  withdrawal management  indicate a supportive family  3.2-WM Withdrawal  Clinically managed resident  Clinically managed resident  indicate a supportive family  3.2-WM Withdrawal  Clinically managed resident  Clinically managed resident  and increase likelihood of  CUMENTATION	Autho  Dusing  d Treatmen  Int for You  Managemer  without ext less than da  Managemer  with extend  ly or living  al Managem  ential withde  chour support  f continuing	t for Youth Under Age 18  th Under Age 18:  nt, Ambulatory – Mild: Ambulatory ended onsite monitoring for mild tily outpatient supervision.  nt, Ambulatory – Moderate: Ambulatory ded onsite monitoring for moderate management, support, and supervision; at situation.  nent, Clinically Managed - Moderate: drawal management for moderate ort to complete withdrawal management	
3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment.  3.3 Clinically Managed Population-Specific Historical (this level of care is not designated for adol hour care with trained counselors to stabilize multididanger. Less intense milieu and group treatment for other impairments unable to use full active milieu or and prepare for outpatient treatment.  3.5 Clinically Managed High-Intensity Reside care with trained counselors to stabilize multidimentand prepare for outpatient treatment. Able to tolerate milieu or therapeutic community.	tial Services: 24-hour hours of clinical igh-Intensity Resident escent populations): 24-imensional imminent those with cognitive of therapeutic communital Services: 24-hours ional imminent dangue and use full active 28. REQUII respective preauthoriz	r ty r er RED DO vations, aut	Recovery Bridge Ho  Medication-Assisted  Withdrawal Manageme  1-WM Withdrawal withdrawal management withdrawal with daily or 2-WM Withdrawal that needs 24-and increase likelihood of CUMENTATION thorizations, and reauthorizeron Medical withdrawal that needs 24-and increase likelihood of CUMENTATION thorizations, and reauthorizeron Medical withdrawal that needs 24-and increase likelihood of CUMENTATION thorizations, and reauthorizeron Medical withdrawal that needs 24-and increase likelihood of CUMENTATION thorizations, and reauthorizeron Medical withdrawal that needs 24-and increase likelihood of CUMENTATION thorizations, and reauthorizeron Medical withdrawal withdrawal with daily or 2-wM Withdrawal withdrawal with daily or 2-wM Withdrawal with daily or 2-wM Withdrawal with daily or 2-wM Withdrawal withdrawal withdrawal withdrawal with daily or 2-wM Withdrawal withdrawal withdrawal with all-day withdrawal with all-day withdrawal withdrawal with all-day withdrawal withdrawal with all-day withdrawal w	Autho  Dusing  d Treatmen  Int for You  Managemer  without ext less than da  Managemer  with extend  ly or living  al Managem  ential withde  chour support  f continuing	t for Youth Under Age 18  th Under Age 18:  nt, Ambulatory – Mild: Ambulatory ended onsite monitoring for mild tily outpatient supervision.  nt, Ambulatory – Moderate: Ambulatory ded onsite monitoring for moderate management, support, and supervision; at situation.  nent, Clinically Managed - Moderate: drawal management for moderate ort to complete withdrawal management	
3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment.  3.3 Clinically Managed Population-Specific Historical (this level of care is not designated for adol hour care with trained counselors to stabilize multididanger. Less intense milieu and group treatment for other impairments unable to use full active milieu or and prepare for outpatient treatment.  3.5 Clinically Managed High-Intensity Reside care with trained counselors to stabilize multidiment and prepare for outpatient treatment. Able to tolerat milieu or therapeutic community.	tial Services: 24-hour hours of clinical igh-Intensity Resident escent populations): 2-timensional imminent those with cognitive or therapeutic communintial Services: 24-hoursional imminent dangue and use full active  28. REQUII respective preauthoriz	RED DO zations, aut	Recovery Bridge Ho  Medication-Assisted  Withdrawal Manageme  1-WM Withdrawal  withdrawal management withdrawal with daily or  2-WM Withdrawal  withdrawal management withdrawal management withdrawal with all-day winght has supportive fami  3.2-WM Withdrawal  Clinically managed reside withdrawal that needs 24- and increase likelihood of CUMENTATION  thorizations, and reauthoricated	Autho  Dusing  d Treatmen  Int for You  Managemer  without ext less than da  Managemer  with extend  ly or living  al Managem  ential withde  chour support  f continuing	t for Youth Under Age 18  th Under Age 18:  nt, Ambulatory – Mild: Ambulatory ended onsite monitoring for mild tily outpatient supervision.  nt, Ambulatory – Moderate: Ambulatory ded onsite monitoring for moderate management, support, and supervision; at situation.  nent, Clinically Managed - Moderate: drawal management for moderate ort to complete withdrawal management	
3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment.   3.3 Clinically Managed Population-Specific Historical (this level of care is not designated for adol hour care with trained counselors to stabilize multididanger. Less intense milieu and group treatment for other impairments unable to use full active milieu or and prepare for outpatient treatment.   3.5 Clinically Managed High-Intensity Reside care with trained counselors to stabilize multidiment and prepare for outpatient treatment. Able to tolerate milieu or therapeutic community.	tial Services: 24-hour hours of clinical igh-Intensity Resident escent populations): 24-imensional imminent those with cognitive of therapeutic communital Services: 24-hours ional imminent dangue and use full active 28. REQUII respective preauthoriz INTERN	RED DO rations, aut	Recovery Bridge Ho  Medication-Assisted  Withdrawal Manageme  1-WM Withdrawal  withdrawal management  withdrawal with daily or  2-WM Withdrawal  withdrawal management  withdrawal management  withdrawal with all-day withdrawal with all-day withdrawal with all-day withdrawal withdrawal withdrawal that needs 24-  and increase likelihood of  CUMENTATION  thorizations, and reauthor  PC USE ONLY	Autho pusing d Treatmen  Int for You Managemer  Without ext less than da Managemer  With extend  With drawal  Ily or living  Il Managemer  Illy or living  Ily or living	t for Youth Under Age 18  th Under Age 18:  nt, Ambulatory – Mild: Ambulatory ended onsite monitoring for mild tily outpatient supervision.  nt, Ambulatory – Moderate: Ambulatory ded onsite monitoring for moderate management, support, and supervision; at situation.  nent, Clinically Managed - Moderate: drawal management for moderate ort to complete withdrawal management	
3.1 Clinically Managed Low-Intensity Residen structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment.   3.3 Clinically Managed Population-Specific Historical Services (this level of care is not designated for adol hour care with trained counselors to stabilize multidition and group treatment for other impairments unable to use full active milieu or and prepare for outpatient treatment.   3.5 Clinically Managed High-Intensity Reside care with trained counselors to stabilize multidiment and prepare for outpatient treatment. Able to tolerate milieu or therapeutic community.	tial Services: 24-hour hours of clinical igh-Intensity Resident escent populations): 24-imensional imminent those with cognitive of therapeutic communitial Services: 24-hours in the second imminent dangue and use full active 28. REQUIT respective preauthoriz INTERN	RED DO rations, aut	Recovery Bridge Ho  Medication-Assisted  Withdrawal Manageme  1-WM Withdrawal  withdrawal management  withdrawal with daily or  2-WM Withdrawal  withdrawal management  withdrawal management  withdrawal with all-day withdrawal with all-day withdrawal with all-day withdrawal withdrawal withdrawal that needs 24-  and increase likelihood of  CUMENTATION  thorizations, and reauthor  PC USE ONLY	Autho pusing d Treatmen  Int for You Managemer  Without ext less than da Managemer  With extend  With drawal  Ily or living  Il Managemer  Illy or living  Ily or living	th Under Age 18:  nt, Ambulatory – Mild: Ambulatory ended onsite monitoring for mild aily outpatient supervision.  nt, Ambulatory – Moderate: Ambulatory ded onsite monitoring for moderate management, support, and supervision; at situation.  nent, Clinically Managed - Moderate: lawal management for moderate ort to complete withdrawal management g treatment or recovery.	
□ 3.1 Clinically Managed Low-Intensity Resident structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment.      □ 3.3 Clinically Managed Population-Specific Historices (this level of care is not designated for adol hour care with trained counselors to stabilize multididanger. Less intense milieu and group treatment for other impairments unable to use full active milieu or and prepare for outpatient treatment.      □ 3.5 Clinically Managed High-Intensity Reside care with trained counselors to stabilize multidiment and prepare for outpatient treatment. Able to tolerate milieu or therapeutic community.  Please refer below for required documentation for □ Approved (Authorization #: □ If denied, reason(s): □ Reviewed by: □ This confidential information is provided to you in according the structure of the service of t	tial Services: 24-hour hours of clinical igh-Intensity Resident escent populations): 2-timensional imminent those with cognitive or therapeutic communintial Services: 24-hours is and use full active 28. REQUII respective preauthoriz INTERN	RED DO Cations, aut	Recovery Bridge Ho  Medication-Assister  Withdrawal Manageme  1-WM Withdrawal withdrawal management withdrawal with daily or  2-WM Withdrawal withdrawal management withdrawal management withdrawal with all-day winight has supportive fami  3.2-WM Withdrawa Clinically managed reside withdrawal that needs 24- and increase likelihood of CUMENTATION horizations, and reauthor  PC USE ONLY	Autho  Dusing  d Treatmen  Int for You  Manageme  without ext less than da  Manageme  with extende  with or living  al Managem  ential withd  hour suppof  f continuing  izations.	th Under Age 18:  nt, Ambulatory – Mild: Ambulatory ended onsite monitoring for mild aily outpatient supervision.  nt, Ambulatory – Moderate: Ambulatory led onsite monitoring for moderate management, support, and supervision; at situation.  nent, Clinically Managed - Moderate: lrawal management for moderate ort to complete withdrawal management g treatment or recovery.	
3.1 Clinically Managed Low-Intensity Residen structure with available trained personnel; at least 5 service/week and prepare for Outpatient treatment.   3.3 Clinically Managed Population-Specific Historical Services (this level of care is not designated for adol hour care with trained counselors to stabilize multidition and group treatment for other impairments unable to use full active milieu or and prepare for outpatient treatment.   3.5 Clinically Managed High-Intensity Reside care with trained counselors to stabilize multidiment and prepare for outpatient treatment. Able to tolerate milieu or therapeutic community.	tial Services: 24-hour hours of clinical igh-Intensity Resident escent populations): 2-timensional imminent those with cognitive or therapeutic communintial Services: 24-hoursional imminent dangue and use full active  28. REQUII respective preauthoriz INTERN	r ty r er er	Recovery Bridge Ho  Medication-Assister  Withdrawal Manageme  1-WM Withdrawal withdrawal management withdrawal with daily or  2-WM Withdrawal withdrawal management withdrawal management withdrawal with all-day winight has supportive fami  3.2-WM Withdrawa Clinically managed reside withdrawal that needs 24- and increase likelihood of CUMENTATION horizations, and reauthor  PC USE ONLY	Autho  Dusing  d Treatmen  Int for You  Manageme  without ext less than da  Manageme  with extende  with or living  al Managem  ential withd  hour suppof  f continuing  izations.	th Under Age 18:  nt, Ambulatory – Mild: Ambulatory ended onsite monitoring for mild aily outpatient supervision.  nt, Ambulatory – Moderate: Ambulatory ded onsite monitoring for moderate management, support, and supervision; at situation.  nent, Clinically Managed - Moderate: lawal management for moderate ort to complete withdrawal management g treatment or recovery.	



### SERVICE AUTHORIZATION FORM INSTRUCTIONS

- 1. Check the appropriate box for what is being requested: preauthorization, authorization, expedited authorization or reauthorization. If requesting a reauthorization, enter the current authorization number.
  - \*Expedited Authorization: For cases in which a provider indicates, or SAPC determines, that following the standard timeframe could seriously jeopardize the patient's life or health, or ability to attain, maintain, or regain maximum function, SAPC must make an expedited authorization decision and provide notice as expeditiously as the patient's health condition requires, and no later than 3 working days after receipt of the request for service.
- 2. Enter the admission date for patient, if different from submission date.
- 3. Enter the submission date of when the Service Authorization Request Form was submitted.
- 4. Enter the submission time.
- 5. Enter the dates for service requested: enter the date the requested service will begin and the date the requested service will end.
  - <u>Note</u>: the duration for the initial residential authorization for adults cannot exceed sixty (60) calendar day, and thirty (30) calendar days for adolescents; the
    duration for residential reauthorizations and authorizations for medication-assisted treatment for youth under age 18 cannot exceed thirty (30) calendar days.

#### PATIENT INFORMATION

- 6. Enter the patient's name in the order of last name, first name, and middle name.
- 7. Enter the patient's date of birth.
- 8. Enter patient's Medi-Cal number and indicate if Medi-Cal eligibility has been verified or enter My Health LA number.
- 9. Enter patient's address.
- 10. Enter the patient's phone number. Check box to indicate if it is okay to leave a message at this phone number.
- 11. Enter the patient's gender.
- 12. Check box if the patient is a perinatal patient. Must provide verification of perinatal status by submitting documentation or a written statement from qualified individuals, including the physician, physician's assistant, certified nurse midwife, nurse practitioner, or other designated medical or clinic personnel with access to the patient's medical records. The statement must give the estimated date of confinement or the last date of pregnancy, and provide sufficient information to substantiate perinatal status. Authorization for the perinatal patient can be up to the length of the pregnancy and postpartum period, which is sixty (60) days after the pregnancy ends, based on medical necessity.
- 13. Check box if the patient is a criminal justice (CJ) patient. Must provide documentation from the applicable criminal justice agency (e.g., Superior Court, Probation, law enforcement, California Department of Corrections, etc) that indicates the patient's criminal justice involvement.
- 14. Enter the patient's race/ethnicity (optional).

#### PROVIDER AGENCY INFORMATION

- 15. Enter the name of the provider agency that is requesting the authorization or reauthorization.
- 16. Enter the phone number of the provider agency.
- 17. Enter the fax number of the provider agency.
- 18. Enter the address of the provider agency.
- 19. Enter the email address of the provider agency.
- 20. Enter the name and the work title of the person who can be contacted regarding the request.
- 21. Enter the phone number of the provider agency's contact person.

#### ORDERING PRESCRIBER (FOR MEDICATION ASSISTED TREATMENT)

- 22. Enter the name and credential of the prescriber.
- 23. Enter the prescriber's phone number.
- 24. Enter the prescriber's address.
- 25. Enter the prescriber's email address.

#### REQUIRED CLINICAL INFORMATION - DIAGNOSTIC AND STATISTICAL MANUAL DIAGNOSES

26. Enter the DSM-5 diagnoses. At least one diagnosis must be for a substance use disorder.

### LEVEL OF CARE REQUESTED

27. Check the appropriate box for the level of care requested.

## **Preauthorized Service**

- 3.1 Clinically Managed Low-Intensity Residential Services: 24-hour structure with available trained personnel; at least 5 hours of clinical service/week and prepare for Outpatient treatment.
- 3.3 Clinically Managed Population-Specific High-Intensity Residential Services (this level of care is not designated for adolescent populations): 24-hour care with trained counselors to stabilize multidimensional imminent danger. Less intense milieu and group treatment for those with cognitive or other impairments unable to use full active milieu or therapeutic community and prepare for outpatient treatment.
- 3.5 Clinically Managed High-Intensity Residential Services: 24-hour care
  with trained counselors to stabilize multidimensional imminent danger
  and prepare for outpatient treatment. Able to tolerate and use full
  active milieu or therapeutic community.

# **Authorized Service**

- Recovery Bridge Housing
- Medication Assisted Treatment for patients under age 18.

#### Withdrawal Management for Patients Under 18:

- 1-WM, ambulatory withdrawal management without extended onsite monitoring for mild withdrawal with daily or less than daily outpatient supervision.
- 2-WM, ambulatory withdrawal management with extended onsite monitoring for moderate withdrawal with all-day withdrawal management, support, and supervision; at night has supportive family or living situation.
- 3.2-WM, clinically managed residential withdrawal management for moderate withdrawal that needs 24-hour support to complete withdrawal management and increase likelihood of continuing treatment or recovery.

# 28. REQUIRED DOCUMENTATION

• For preauthorization for residential services:

Submit application for preauthorized residential services prior to initiation of services, unless providers elect to provide the service prior to receiving preauthorization, and accept financial loss if the preauthorization is ultimately denied. Required documents: 1. Service Authorization Request Form. 2. Assessment information.

For authorization of Recovery Bridge Housing:

Documentation that serves as proof that patient is actively enrolled in Outpatient or Intensive Outpatient treatment, and documentation of patient's need of a stable, safe, living environment in order to best support their recovery

• For authorization of Medication-Assisted Treatment (MAT) for patients under age 18:

Required documents: 1. Service Authorization Request Form. 2. Assessment information. 3. Justification for the prescribed medication(s): name, dosage, route, frequency, duration, and relevant laboratory results (if available). 4. Relevant prior history.

• For authorization of Withdrawal Management for Youth Under Age 18

Required documents: 1. Service Authorization Request Form. 2. Assessment information.

#### Reauthorizations\* (\*Reauthorizations are not applicable for Recovery Bridge Housing or youth withdrawal management)

For reauthorization of residential services:

Reauthorization is required every thirty (30) calendar days after the initial sixty (60) day authorization. Reauthorization request must be submitted at least seven (7) calendar days in advance of end date of current authorization. Required documents: 1. Service Authorization Request Form. 2. Current treatment plan. 3. Assessment information. 4. Progress notes. 5. Relevant laboratory test results (if available). 6. Verification of perinatal status and/or criminal justice status (if applicable).

• For reauthorization of MAT for patients under age 18:

For MAT for youth, reauthorization is required every thirty (30) calendar days. Request must be submitted at least seven (7) calendar days in advance of end date of prior youth MAT authorization. Required documents: 1. Service Authorization Request Form. 2. Current treatment plan. 3. Justification for the prescribed medication(s): name, dosage, route, frequency, duration, and rationale. 4. Assessment information. 5. Progress notes. 6. Relevant laboratory test results (if available). 7. Verification of perinatal status and/or criminal justice status (if applicable).

### INTERNAL SAPC USE ONLY

This section reserved for internal SAPC use only.

# SUBMIT THE AUTHORIZATION REQUEST FORM TO:

Fax: (xxx) xxx-xxxx

Website: http://publichealth.lacounty.gov/sapc/

